

SAFETY PINS

FOR ALL APPLICATIONS



STRANG ADVANCE LLC

139 BRICK CHURCH ROAD • SPRING VALLEY, NY 10977

Phone: 845.354.9516 • Fax: 845.290.6338

Web: safetypinswholesale.com * E-Mail: info@safetypinswholesale.com

We want Strang Advance to be your number one source for all of your safety pin needs. We value all of our clients... no matter how large or small.


Our large inventory means that you get your safety pin orders filled and shipped faster.

When it comes to pricing; we strive to give you the best competitive prices. Needles to say, the more you purchase, the more you save! We do accepted orders for less than full cases... and our pricing will reflect a saving on these quantities as well.

Look through our catalog to see all of the different types and styles of safety pins we carry. If there is something you need and don't see it... let us know, we can get it for you.

Our clients are our most valued asset; we will do whatever it takes to keep you satisfied.

Feel free to contact us anytime.



TRADITIONAL SAFETY PINS

GENERAL INFORMATION ABOUT SAFETY PINS

Construction: Most safety pins are constructed from wire made of either hardened brass or high carbon steel, which is then coated with nickel or gilt. The steel wire is plated, in order to strengthen it against rust and corrosion. Brass wire will not rust. The prime reason for plating brass safety pins is to improve their appearance. A nickel plating will give the pin a silvery appearance. A gilt plating results in a gold colored finish. There are also black safety pins which are constructed using un-plated brass wire.

You will not be able to determine whether a pin is made of brass or steel simply by its appearance, because brass pins may be plated in nickel, and have a silvery look, and steel pins may be gilted and have a gold appearance. Please refer to our Specification Charts on pages 4 and 5 for details regarding the construction of our various pins.

Since brass pins are more expensive than steel, they are usually chosen only when there is need for extra protection against the possibility of rust. If price is your main interest, however, ask us about our Econo-pins. Your savings in price is due to a construction of low carbon steel, plated in gilt or nickel; or for the greatest savings, low carbon steel, plated in zinc.

Standard Packaging: Most of our safety pins are packed 10 gross to a box. (10x144 =1440 pieces per box).

Safety pins identified with the prefix letters, "XH" are packed in boxes of 10 gross (1440 pieces); ten poly bags of 1 gross (144 pieces) per bag.

Custom Packaging: Our pins can be custom packed for you in a box, a poly bag with header, on a blister card, or according to your specific requirements.


STANDARD SAFETY PINS

Our standard safety pins are available in either steel or brass, with a plating of either nickel or gilt.

Brass Safety Pins
Steel Safety Pins

Specifications: All sizes (except #7), are packed 10 gross (1440 pins) per box.

(#00)	3/4"	(19mm)	-	250 gross per case
(# 0)	7/8"	(22mm)	-	250 gross per case
(# 1)	1 1/16"	(27mm)	-	200 gross per case
(#2)	1 1/2"	(38mm)	-	200 gross per case
(#3)	2"	(51mm)	-	100 gross per case
(#7)	3"	(76mm)	-	1 gross per box, 10 gross per case



* As a labor saving feature, certain pins are also available for purchase in the opened position: (#00), (#0), (#1), (#2)



BLACK SAFETY PINS

Constructed of hardened brass wire, with a black finish.

Specifications:

(#00)	3/4"	(19mm)	-	10 gross per box, 250 gross per case
(#0)	7/8"	(22mm)	-	10 gross per box, 250 gross per case
(#1)	1 1/16"	(27mm)	-	<u>50 pins</u> per poly bag, 100 bags per box, 5 boxes per case



Strang Advance LLC - 139 Brick Church Road - Spring Valley, NY 10977 - Phone: 845.354.9516 - Fax: 845.290.6338
Web: safetypinswholesale.com - E-Mail: info@ safetypinswholesale.com

SAFETY PIN SPECIFICATION CHART

OVERALL LENGTH INCHES	WIRE DIAMETER MM	WIRE DIAMETER INCHES	PRODUCT NO.	METAL	PLATING	OPENED OR CLOSED
--------------------------	---------------------	-------------------------	-------------	-------	---------	---------------------

BRASS SAFETY PINS

3/4"	19MM	.0255"	.64MM	X-00-BGO	BRASS	GILT	OPENED
3/4"	19MM	.0255"	.64MM	X-00-BGC	BRASS	GILT	CLOSED
3/4"	19MM	.0255"	.64MM	X-00-BNO	BRASS	NICKEL	OPENED
3/4"	19MM	.0255"	.64MM	X-00-BNC	BRASS	NICKEL	CLOSED
7/8"	22MM	.0265"	.68MM	X-0-BGO	BRASS	GILT	OPENED
7/8"	22MM	.0265"	.68MM	X-0-BGC	BRASS	GILT	CLOSED
7/8"	22MM	.0265"	.68MM	X-0-BNO	BRASS	NICKEL	OPENED
7/8"	22MM	.0265"	.68MM	X-0-BNC	BRASS	NICKEL	CLOSED
1 1/16"	27MM	.0290"	.74MM	X-1-BGO	BRASS	GILT	OPENED
1 1/16"	27MM	.0290"	.74MM	X-1-BGC	BRASS	GILT	CLOSED
1 1/16"	27MM	.0290"	.74MM	X-1-BNO	BRASS	NICKEL	OPENED
1 1/16"	27MM	.0290"	.74MM	X-1-BNC	BRASS	NICKEL	CLOSED
1 1/2"	38MM	.0380"	.97MM	X-2-BGC	BRASS	GILT	CLOSED
1 1/2"	38MM	.0380"	.97MM	X-2-BNC	BRASS	NICKEL	CLOSED
2"	50.8MM	.0500"	1.28MM	X-3-BGC	BRASS	GILT	CLOSED
2"	50.8MM	.0500"	1.28MM	X-3-BNC	BRASS	NICKEL	CLOSED

STEEL SAFETY PINS

3/4"	19MM	.0255"	.64MM	X-00-SGC	STEEL	GILT	CLOSED
3/4"	19MM	.0255"	.64MM	X-00-SNC	STEEL	NICKEL	CLOSED
7/8"	22MM	.0255"	.64MM	X-0-SGC	STEEL	GILT	CLOSED
7/8"	22MM	.0255"	.64MM	X-0-SNC	STEEL	NICKEL	CLOSED
1 1/16"	27MM	.0295"	.75MM	X-1-SGC	STEEL	GILT	CLOSED
1 1/16"	27MM	.0310"	.79MM	X-1-SO	STEEL	NICKEL	OPENED
1 1/16"	27MM	.0310"	.79MM	X-1-SC	STEEL	NICKEL	CLOSED
1 1/2"	38MM	.0385"	.99MM	X-2-SO	STEEL	NICKEL	OPENED
1 1/2"	38MM	.0385"	.99MM	X-2-SC	STEEL	NICKEL	CLOSED
1 1/2"	38MM	.0355"	.92MM	X-2-SGC	STEEL	GILT	CLOSED
2"	50.8MM	.0455"	1.15MM	X-3-SC	STEEL	NICKEL	CLOSED
2"	50.8MM	.0455"	1.15MM	X-3-SGC	STEEL	GILT	CLOSED
3"	76.2MM	.0660"	1.68MM	X-7-SC	STEEL	NICKEL	CLOSED
1 1/16"	27MM	.0260"	.61MM	1LC	STEEL	NICKEL	CLOSED
1 1/16"	27MM	.0260"	.61MM	1LC-O	STEEL	NICKEL	OPENED
1 1/2"	38MM	.0350"	.90MM	21LC	STEEL	NICKEL	CLOSED

COILLESS SAFETY PINS (FRENCH SAFETY PINS)

3/4"	19MM	.0270"	.68MM	X-00-BGO-C	BRASS	GILT	OPENED
3/4"	19MM	.0270"	.68MM	X-00-BGC-C	BRASS	GILT	CLOSED
7/8"	22MM	.0270"	.68MM	X-0-BGO-C	BRASS	GILT	OPENED
7/8"	22MM	.0265"	.64MM	X-0-BGC-C	BRASS	GILT	CLOSED
1 1/16"	27MM	.0380"	.97MM	X-1-BGC-C	BRASS	GILT	CLOSED
3/4"	19MM	.0270"	.68MM	X-00-SGC-C	STEEL	GILT	CLOSED
7/8"	22MM	.0270"	.68MM	X-0-SGC-C	STEEL	GILT	CLOSED
1 1/16"	27MM	.0295"	.75MM	X-1-SGC-C	STEEL	GILT	CLOSED
1 1/4"	31.8MM	.0300"	.77MM	114-SGC-CL	STEEL	GILT	CLOSED
2 1/4"	57MM	.0430"	1.1MM	214-SGC-CL	STEEL	GILT	CLOSED



SAFETY PIN SPECIFICATION CHART

STAINLESS STEEL MARKING PINS

2"	50.8MM	.0540"	1.37MM	M1	STAINLESS	NONE	CLOSED
2"	50.8MM	.0540"	1.37MM	M2	STAINLESS	NONE	CLOSED
2"	50.8MM	.0540"	1.37MM	M3	STAINLESS	NONE	CLOSED

NET PINS

3 1/4"	82.6MM	.1000"	2.54MM	3NP	BRASS	NICKEL	CLOSED
4 1/4"	108 MM	.1360"	3.45MM	4NP	BRASS	NICKEL	CLOSED
5"	127MM	.1440"	3.66MM	5NP	BRASS	NICKEL	CLOSED

STEEL KILTIE PINS

2 1/2"	63.5MM	.0980"	2.48MM	7G-KILT	STEEL	GILT	CLOSED
2 1/2"	63.5MM	.0980"	2.48MM	7N-KILT	STEEL	NICKEL	CLOSED
3"	76MM	.0790"	2.01MM	11G-KILT	STEEL	GILT	CLOSED
3"	76MM	.0790"	2.01MM	11N-KILT	STEEL	NICKEL	CLOSED
3 1/2"	89MM	.0820"	2.08MM	13G-KILT	STEEL	GILT	CLOSED
4"	101.6MM	.1050"	2.67MM	15G-KILT	STEEL	GILT	CLOSED
4"	101.6MM	.1050"	2.67MM	15N-KILT	STEEL	NICKEL	CLOSED

BLACK, BRASS SAFETY PINS


3/4"	19MM	.0250"	.67MM	X-00-OXY	BRASS	BLACK	CLOSED
7/8"	22MM	.0270"	.64MM	X-0-OXY	BRASS	BLACK	CLOSED
1 1/16"	27MM	.0290"	.74MM	X-1-OXY	BRASS	BLACK	CLOSED
1 1/16"	27MM	.0290"	.74MM	X-1-B	STEEL	BLACK	CLOSED
2"	50.8MM	.0495"	1.36MM	X-3-OXY	BRASS	BLACK	CLOSED
2"	50.8MM	.0495"	1.36MM	X-3-B	STEEL	BLACK	CLOSED

STEEL T-PINS

Nickel-plated, steel T-pins
 1/2 lb per box. 5 lbs per junior carton
 Minimum order: 5 lbs of any one size

- Item #X16T-05: Length:1", Diameter .030", Count per Lb.: 3200*
- Item #X20T-05: Length:1 1/4", Diameter .0335", Count per Lb.: 2200*
- Item #X24T-05: Length:1 1/2", Diameter .0455", Count per Lb.: 900*
- Item #X28T-05: Length:1 3/4", Diameter .0455", Count per Lb.: 800*
- Item #X32T-05: Length:2", Diameter .0455", Count per Lb.: 750*

*Note: All counts are approximate and should be used as a guide only.
 All pins are sold by weight only.



SPECIALTY PINS

COILLESS SAFETY PINS

Also known as French Safety Pins


Available in either steel or brass, with a plating of either nickel or gilt.

Steel Coilless Safety Pins

Brass Coilless Safety Pins

Specifications: All sizes are packed 10 gross (1440 pins) per box.

(#00)	3/4"	(19mm) – 500 gross per case
(#0)	7/8"	(22mm) – 500 gross per case
(#1)	1 1/16"	(27mm) – 200 gross per case
(#114)	1 1/4"	(32mm) – 100 gross per case
(#214)	2 1/4"	(57mm) – 100 gross per case




*As a labor-saving feature, certain pins are available for purchase also in the opened position: (#00), (#0).

KILTIE PINS

Our steel Kiltie Pins are available in four sizes, with a choice of nickel or gilt plating.

Specifications: All sizes are packed 1 gross (144 pins) per box.

(#7)	2 1/2"	(63mm) – 20 gross per case
(#11)	3"	(76mm) – 20 gross per case
(#13)	3 1/2"	(89mm) – 16 gross per case
(#15)	4"	(101mm) – 10 gross per case



SPECIALTY PINS

STAINLESS STEEL MARKING PINS


Our stainless steel marking pins are used for easy identification on items such as locker ID's, swim badges, key holders or as sock pins, etc. Stainless steel offers the greatest longevity and resistance to corrosion.

The pin cap can be engraved with up to five characters, at an additional cost, for custom identification (minimum quantities of 100 pins).

Specifications: Available in three distinct shapes, one size:
All three pin styles are 2" long, with a wire diameter of .054"(137mm).

- (#M1) Mushroom Shape
- (#M2) Flared Shape
- (#M3) Standard Shape

Packed 100 per box, 10 boxes (1,000 pins) per case



LAUNDRY BAG/ NET PINS

Laundry Bag/Net Pins are made of stainless steel wire, nickel plated, for the highest resistance to corrosion and oxidation. The points are safety-blunted.

The flat cap can be engraved with up to 5 characters, at an additional cost, for custom identification.

Specifications:

- (#3NP) 3 1/4" x .100" (.82mm x 2.5mm) nickel-plated
- (#4NP) 4 1/4" x .136" (108mm x 3.4mm) nickel-plated
- (#5NP) 5" x .144" (127mm x 3.7mm) nickel-plate

Packed 10 per poly bag, 100 per box,
300 per case



Strang Advance LLC - 139 Brick Church Road - Spring Valley, NY 10977 - Phone: 845.354.9516 - Fax: 845.290.6338
Web: safetypinswholesale.com - E-Mail: info@safetypinswholesale.com



STRANG ADVANCE LLC

139 BRICK CHURCH ROAD • SPRING VALLEY, NY 10977

Phone: 845.354.9516 • Fax: 845.290.6338

Web: safetypinswholesale.com * E-Mail: info@safetypinswholesale.com